A HOUSE OF SAFETY FOOTWEAR

MANGLA®

MANGLA PLASTIC INDUSTRIES

CE

IS: 12254:1993
CM/L:9691203

IS: 15298:2016 PART-2
CM/L:4822668

IS: 15298:2011 PART-3
CM/L:9512429321

IS: 15298:2017 PART-4

IS: 5557:2004 TYPE-1 & TYPE-2

IS: 5557:2018 PART-2

IS: 3976:2018 TYPE-2

MAKE IN INDIA

MANGLA®

Anil Kumar Mangla

MANGLA®

MANGLA PLASTIC INDUSTRIES

SINCE - 1996

Our Registerd Trade Mark

GOLD-YEAR®

KING POWER®

ROCK master®

BLACK DIAMOND®

WATER HORSE®

MANGLA®

LABORATORY



It is equipped with 48 types of testing equipments/tools calibrated by external agencies on yearly basis for testing as per the latest norms of EN ISO 20345:2011 and IS 15298. It has 2 scientists/technologists to test all incoming, in-process and finished goods. All input materials for store and leather are pre tested and entered in the stock only when they pass the desired quality standards.

OUR CERTIFICATIONS

- ★ ISO 9001:2015
- ★ IS : 12254:1993 Polyvinyl Chloride (PVC) Industrial Boot
- ★ IS : 15298:2016 (Part-2) Personal Protective Equipment - Safety Footwear
- ★ IS : 15298:2011 (Part-3) Personal Protective Equipment - Protective Footwear
- ★ IS : 15298:2010 (Part-4) Personal Protective Equipment - Occupational Footwear
- ★ IS : 3976:2018 Protective Rubber Canvas Boots for Miners

APPLIED

- ★ IS : 5557 : 2004 (Type -2) Industrial & Protective Rubber Knee Boots
- ★ IS : 5557 : 2018 (Part-2)

Udyog Aadhaar

B	Type of Enterprise	Micro	Small	Medium
	Manufacturing	A	B	C
	Services	D	E	F
	UAM No.	HR07B0000312		

Udyog Aadhaar Memorandum

1. Aadhaar Number: 313035203162
2. PAN Number: AAKPM6216C
3. Name of Entrepreneur: ANIL KUMAR MANGLA
4. Social Category of Entrepreneur: GENERAL
5. Gender: Male
6. Physically Handicapped: No
7. Name of Enterprise: MANGLA PLASTIC INDUSTRIES
8. Type of Organization: Proprietary
9. Location of Plant Details

SN	Flat/Door/Block No.	Name of Premises/Building Village	Road/Street/ Lane	Area/Locality	City	Pin	State	District
1.	PLOT NO.1732-33, MIE	BAHADURGARH, JHAJJAR	-	BAHADURGARH, JHAJJAR	BAHADURGARH	124507	HARYANA	JHAJJAR
2.	PLOT NO.1726,MIE,PAR	BAHADURGARH, JHAJJAR	-	BAHADURGARH, JHAJJAR	BAHADURGARH	124507	HARYANA	JHAJJAR
3.	plot no.2111,Mie,Par	BAHADURGARH, JHAJJAR	-	BAHADURGARH, JHAJJAR	Bahadurgarh	124507	HARYANA	JHAJJAR
4	PLOT NO.91,	HSIIDC, FOOTWEAR PARK,	SECTOR-17	BAHADURGARH, JHAJJAR	BAHADURGARH	124507	HARYANA	JHAJJAR
5	plot no.136,146,147	HSIIDC, FOOTWEAR PARK,	sector-17	HSIIDC, FOOTWEAR PARK,	BAHADURGARH	124507	HARYANA	JHAJJAR

10. Official Address of Enterprise: 1733, MIE, PART-B, BANK ROAD
    District: JHAJJAR State: HARYANA PIN: 124507
    Mobile No: 9313441044 Email: anil_mangla@yahoo.co.in
11. Date of commencement: 01/06/2005
12. Previous Registration details-if any: EM-2 :- 06015120051 2
13. Bank Details: IFS Code: HDFC0000325; Bank Account: 03252560000990
14. Major Activity: MANUFACTURING
16.

SN	NIC 2 Digit	NIC 4 Digit	NIC 5 Digit Code	Activity Type
1	32 - Other manufacturing	3290 - Other manufacturing n.e.c.	32909 - Manufacture of other articles n.e.c.	Manufacturing
2	15 - Manufacture of leather and related products	1520 - Manufacture of footwear	15201 - Manufacture of leather footwear such as shoes, sandals, chappals, leather-cum-rubber/plastic cloth sandles and chappals	Manufacturing

17. Persons employed: 92
18. Investment (Plant & Machinery / Equipment's): 333(Rs. In Lakhs)
19. District Industry Centre: Bahadurgarh

Declaration

I hereby declare that information given above is true to the best of my knowledge. Any information, that may be required before the concerned authority.

MyMsme Mobile App (Beta Version) is available now for download. https://play.google.com/store/apps/details?id=msme.

राष्ट्रीय लघु उद्योग निगम लिमिटेड
THE NATIONAL SMALL INDUSTRIES CORPORATION LIMITED
(A Government of India Enterprise)

Sr. No. 78804

Branch Office: NSIC Complex, Okhla Industrial Estate, New Delhi-110020
Ph : 011-26381107 Fax : 011-26381427
Email : delhibranch@nsic.co.in Website : www.nsic.co.in

GOVERNMENT PURCHASE ENLISTMENT CERTIFICATE

Ref.No. NSIC/DOO/GP/000/001/1301 Date: 24/07/2019

Mfs. Mangla Plastic Industries
1732-1733 MIE, Part-B, Bank Road,
BAHADURGARH
HARYANA - 124507

Factory Address:
1, 1732-1733 MIE, Part-B, Bank Road
BAHADURGARH, HARYANA - 124507

Name of the Proprietor: Sh. Anil Kumar Mangla

Constitution of the firm: Proprietorship

UAM HR07B0000312 Enterprise Social Class: GENERAL

GOVERNMENT PURCHASE REGISTRATION NO: NSIC/GP/DEL/2019/0028387
GOVERNMENT PURCHASE OLD REGISTRATION NO: NSIC/DOO/GP/000/001/1301
Monetary Limit: ₹ 791 lakhs (₹ Seven Hundred Eighty One Lakh Only)
TURNOVER (Rupees in Lakhs)

Financial Year	Annual Turnover
2018-19	1400.00
2017-18	1341.63
2016-18	1500.00
Monetary Limit	791

Mfs registered with NSIC are exempted from deposit of Earnest Money irrespective of value of Monetary Limit.

Your name has been registered as a MSE Unit eligible for participation in the Central Government Stores Purchase Programme as per the Single Point Registration Scheme for the following items/Goods/Services(s).

Name of the Item(s)/ Item(s)/Services(s)	Specifications(s)	Qualitative Capacity	Quantitative Capacity P.M.P.S.

"As per Unit Attached" (10 Item only)

Disclaimer:- The purchasing agencies are advised to satisfy themselves with the store details in the certificate while doing the Technical Evaluation stage before placing the tender/order on the units verified by NSIC.

Mfs. Mangla Plastic Industries

Authorised Signatory

"Authenticity of the certificate can be checked through the web portal: www.nsicsuppliers.com"

CIN : U74140DL1955GOI003881 Continue overleaf

Certifica

This is to certify that the QUALITY MANAGEMENT SYSTE...
of

MANGLA PLASTIC INDUSTRIES
1733, M.I.E., Part- B, Bank Road,
Bahadurgarh- 124507, Haryana, India

has been assessed and found to be in conformance to the requirements of

ISO 9001:2015

This certificate is valid for the following activity:

Manufacturing of Industrial Safety Gumboots & Shoes, Rainy- wear Garments & Safety Garments

Certificate No. : OI-17092008
Date of Initial registration: 28-09-2017
Date of this certificate: 25-09-2019
Certificate Expiry: 27-09-2020
Recertification Due: 27-09-2020

Auth Sign

IAF eiaCI ISPL

Indraprastha SystemCert Pvt. Ltd.

CERTIFICATE OF COMPLIANCE

Awarded to

MANGLA PLASTIC INDUSTRIES
1733, M.I.E., Part- B, Bank Road,
Bahadurgarh- 124507, Haryana, India

We hereby declare that the technical file of product complied with the requirement of Directive 2001/95/EC General Safety Directive

CE

The Manufacturer's technical documentation, as required of Directive 2001/95/EC General Safety Directive has been reviewed and found to comply with the requirements. Further identification and description of the products covered by this certificate any significant changes in the or construction of the product

Industrial Safety Gumboots & (PVC/PU/Rubber/Leather PU) Shoes, Rainy- Wear Garments & Safety Equipment

Certificate No: ICI-CE-1000-01092001
Date of Initial Registration - 25-09-2019
Date of this certificate - 25-09-2019
Certificate Expiry - 24-09-2020
Re-certification Audit Due - 24-09-2022

Centre Head

INTERNATIONAL CERTIFICATIONS LIMITED

Mail: info@internationalcertifications.net
URL: www.internationalcertifications.net

This Certificate is the Property of International Certifications Limited & to be return to International Certifications Ltd. Upon request. Validity of this certificate is subject to successfully completion of Annual Surveillance Audits



World Class Fully Moulded Rubber Gumboot with & without Steel Toe Cap

First Time in India

- ★ Natural Rubber Gumboot (NR)
- ★ Nitrile Butadiene Rubber Gumboot (NBR)
- ★ Flame Resistance Gumboot (FR)
- ★ Neuclear-Biological-Chemical Resistance Gumboot (NBC)

Used in

- All Types of Minings
- Construction Industries
- Food Industries
- Chemical Industries
- Heavy Metal Industries
- Defence & Paramilitary Force
- Cold Weather up to -30°c
- Forest Field
- Fishing Industries

Safetymatters

MASTER
Natural Rubber Gumboot

HR
HEAT RESISTANT
HRD UP TO 300°C

Bureau of Indian Standards

IS: 5557:2018
PART-2

IS: 5557:2004
PART-2

Steel Toe Cap

Type	-	Fully Moulded Natural Rubber Gumboot (With & Without Steel Toe Cap)	Mid Plate	-	Without Mid Plate (With Mid Plate Special Order by Buyer)
Style	-	Wellington Boot	Fitting	-	English Fitting
Size	-	5 To 11 (39 To 45)	Approval	-	IS : 5557/2004 Type-2
Height	-	16" + / -0.5"			IS : 5557/Part-2/2018
Upper	-	Natural Rubber			IS : 15298/Part-2/Classification II
Sole	-	Natural Rubber			IS : 15298/Part-4/Classification II
Inner Lining	-	Heavy Canvas Cotton Lining	Colour	-	Black
Toe	-	Steel Toe (100J/200J)	Packing	-	Each Pair in Printed Inner Box & 10 Pair One Outer Carton

Safetymatters


MANGLA®

OILEX

Nitrile Butadiene Rubber

MANGLA®

HR
HEAT RESISTANT
HRD UP TO 300°C

Bureau of Indian Standards

IS: 5557:2018
ISI
PART-2

IS: 5557:2004
ISI
PART-2

CE

Steel Toe Cap

Type	-	Fully Moulded Nitrile Rubber Gumboot	Mid Plate	-	Without Mid Plate
Style	-	Wellington Boot		-	(With Mid Plate Special Order by Buyer)
Size	-	5 To 11 (39 To 45)	Fitting	-	English Fitting
Height	-	16" + / -0.5"	Approval	-	IS : 5557/2004 Type-2
Upper	-	Nitrile Butadiene Rubber			IS : 5557/Part-2/2018
Sole	-	Nitrile Butadiene Rubber			IS : 15298/Part-2/Classification II
Features	-	Anti Skid, Oil, Chemical & Fuel Resistance			IS : 15298/Part-4/Classification II
Inner Lining	-	Heavy Canvas Cotton Lining	Sole	-	Up To 300°C For 1 Minute Exposer (Hot Contact)
Toe	-	Steel Toe (100J/200J)	Colour	-	Black/Green
	-	Also Available Without Steel Toe Cap	Packing	-	Each Pair in Printed Inner Box & 10 Pair One Outer Carton

Safetymatters

Safetymatters

SHIELD

Fire Mens Rubber Gumboot

IS: 5557:2018

PART-2

IS: 5557:2004

PART-2

Steel Toe Cap

Type	-	Fully Moulded Special Flame Resistant Rubber Gumboot	Mid Plate	-	Without Mid Plate
				-	(With Mid Plate Special Order by Buyer)
Style	-	Wellington Boot	Fitting	-	English Fitting
Size	-	5 To 11 (39 To 45)	Approval	-	IS : 5557/2004 Type -2
Height	-	16" + / -0.5"			IS : 5557/Part-2/2018
Upper	-	Flame Resistant Rubber			IS : 15298/Part-2/Classification II
Sole	-	Flame Resistant Rubber			IS : 15298/Part-4/Classification II
Features	-	Anti Skid, Oil, Chemical & Fuel Resistance	Sole	-	Up To 300° C For 1 Minute Exposer (Hot Contact)
Inner Lining	-	Heavy Canvas Cotton Lining	Colour	-	Black
Toe	-	Steel Toe (100J/200J)	Packing	-	Each Pair in Printed Inner Box & 10 Pair One Outer Carton
	-	Also Available Without Steel Toe Cap			

Safetymatters

MANGLA®

POLYVINYL CHLORIDE INDUSTRIAL GUMBOOT DOUBLE DENSITY/DOUBLE COLOUR AND SINGLE COLOUR WITH & WITHOUT STEEL TOE CAP MADE BY FULLY COMPUTERIZED MACHINE

PLATINUM GOLD

Gumboot

MANGLA®

Bureau of Indian Standards

IS: 12254:1993

CM/L:9691203

IS: 15298:2016
PART-2

CM/L:4822668

CE

BOTH SIDE LINING GUMBOOT
FIRST TIME IN INDIA

Type	-	Double Injection Moulded PVC Gum Boot	Inner Lining	-	Heavy Cotton Lining
Construction	-	Made by Fully Computerized Imported Machine	Toe	-	With & Without Steel Toe Cap
Style	-	Wellington Boot	Colour	-	Full Black, Full White, White Grey, Black Grey, Black Brown, Navy Blue, Royal Blue, Yellow Black
Size	-	6 To 10 (40 To 44)			
Height	-	15" + / -0.5"			
Upper	-	Soft PVC/TPE			
Sole	-	Hard PVC/TPE	Packing	-	Each Pair in Printed Inner Box & 12 Pair One Outer Carton

Safetymatters

DYNAMIC
Gumboot

MANGLA®

Bureau of Indian Standards

IS: 12254:1993

CM/L:9691203

IS: 15298:2016
PART-2

CM/L:4822668

Last Approval 2013-14

Type	-	Double Injection Moulded PVC Gumboot Made by Fully Computerized Imported Machine
Style	-	Wellington Boot
Size	-	6 To 10 (40 To 44)
Height	-	15" + / -0.5"
Upper	-	Soft PVC
Sole	-	Hard PVC
Inner Lining	-	Heavy Cotton Lining
Toe	-	With & Without Steel Toe Cap
Colour	-	Full Black, Full White, White Grey, Black Grey, Black Brown, Navy Blue, Royal Blue, Yellow Black
Packing	-	With Inner Box Packing 12 Pair Per Outer Box

Safetymatters

DYNAMIC
Gumboot

MANGLA®

Also available in three variable heights for various specific purposes.


Wherever Whatever ...
GOODYEAR

KING POWER®

Gumboot

MANGLA®

Bureau of Indian Standards

IS: 12254:1993

CM/L:9691203

IS: 15298:2016
PART-2

CM/L:4822668

CE

Last Approval 2013-14

Type	-	Double Injection Moulded PVC Gum Boot Made by Fully Computerized Imported Machine
Style	-	Gumboot/Knee Boot
Size	-	5 To 11 (39 To 45)
Height	-	14" + / -0.5"
Upper	-	Soft Pvc
Sole	-	Hard Pvc
Inner Lining	-	Heavy Cotton Lining
Toe	-	With Steel Toe Cap
Colour	-	Full Black, Full White, White Grey, Black Grey, Black Brown, Navy Blue, Royal Blue, Yellow Black
Packing	-	With Inner Box Packing 12 Pair Per Outer Box

Safetymatters

GOLD-YEAR®
Gumboot

MANGLA®

Bureau of Indian Standards

IS: 12254:1993

CM/L:9691203

IS: 15298:2016
PART-2

CM/L:4822668

CE

Type	-	Double Injection Moulded PVC Gumboot Made by Fully Computerized Imported Machine
Style	-	Gumboot/knee Boot
Size	-	5 To 11 (39 To 45)
Height	-	14" + / -0.5"
Upper	-	Soft PVC
Sole	-	Hard PVC
Inner Lining	-	Heavy Cotton Lining
Toe	-	With & Without Steel Toe Cap
Colour	-	Full Black, Full White, White Grey, Black Grey, Black Brown, Navy Blue, Royal Blue, Yellow Black
Packing	-	With Inner Box Packing 12 Pair Per Outer Box

Safetymatters

GOLD-YEAR®
Gumboot

MANGLA®

Also available in three variable heights for various specific purposes.

KNEETECH
Gumboot

MANGLA®

Bureau of Indian Standards

IS: 12254:1993

CM/L:9691203

CE

Type	-	Double Injection Moulded PVC Gumboot Made by Fully Computerized Imported Machine
Style	-	Knee Boot
Size	-	6 To 10 (40 To 44)
Hight	-	14" + / -0.5"
Upper	-	Soft PVC
Sole	-	Hard PVC
Inner Lining	-	Nylon Lining
Toe	-	With & Without Steel Toe Cap
Colour	-	Full Black, Full White, White Grey, Black Grey, Black Brown, Navy Blue, Royal Blue, Yellow
Packing	-	Each Pair in Polythin Bag 60 Micron & 20 Pair One Outer Box

Safetymatters

KNEETECH
Gumboot

MANGLA®

PEZZOL

Gumboot

MANGLA®

Bureau of Indian Standards

IS: 12254:1993

CM/L:9691203

CE

Steel Toe Cap

Type	-	Double Injection Moulded PVC Gum Boot Made by Fully Computerized Imported Machine
Style	-	Gumboot/Knee Boot
Size	-	6 To 10 (40 To 44)
Height	-	14" + / -0.5"
Upper	-	Soft PVC
Sole	-	Hard PVC
Inner Lining	-	Nylon Lining
Toe	-	With & Without Steel Toe Cap
Colour	-	Full Black, Full White, White Grey, Black Grey, Black Brown, Navy Blue, Royal Blue, Yellow Black
Packing	-	Each Pair in Polythin Bag 60 Micron & 20 Pair One Outer Box

Safetymatters

PEZZOL
Gumboot

MANGLA®

Safetymatters

MOUNT BLACK

Gumboot

Steel Toe Cap

Type	-	Double Injection Moulded PVC Gumboot Made by Fully Computerized Imported Machine
Style	-	Gumboot/Knee Boot
Size	-	6 To 10 (40 To 44)
Height	-	15" + / -0.5"
Upper	-	Soft Pvc
Sole	-	Hard Pvc
Inner Lining	-	Nylon Lining
Toe	-	Without Steel Toe Cap
Colour	-	Full Black, Full White, White Grey, Black Grey, Black Brown, Navy Blue, Royal Blue, Yellow Black
Packing	-	Each Pair in Polythin Bag 60 Micron & 20 Pair One Outer Box

Safetymatters

MOUNT BLACK

Gumboot

MANGLA®

MANGLA®

POLYVINYL CHLORIDE GUMBOOT

DOUBLE DENSITY/DOUBLE COLOUR AND SINGLE COLOUR

MADE BY FULLY COMPUTERIZED

MACHINE

Safetymatters

SUPER
Gumboot

Type	-	Moulded PVC Gumboot Made by Fully Computerized Imported Machine
Style	-	Gumboot/Knee Boot
Size	-	6 To 10 (40 To 44)
Height	-	14" + / -0.5"
Upper	-	Soft PVC
Sole	-	Hard PVC
Inner Lining	-	Nylon Lining
Toe	-	With & Without Steel Toe Cap
Colour	-	Full Black & Black Grey
Packing	-	Each Pair in Printed Inner Box & 12 Pair One Outer Carton

Safetymatters

LUKAS
Gumboot

MANGLA®

CE

Type	-	Moulded PVC Gumboot Made by Fully Computerized Imported Machine
Style	-	Knee Boot
Size	-	5 To 11 (39 To 45)
Height	-	14" + / -0.5"
Upper	-	Soft PVC
Sole	-	Hard PVC
Inner Lining	-	Nylon Lining
Toe	-	Without Steel Toe Cap
Colour	-	Full Black, Full White, White Grey, Black Grey, Black Brown, Navy Blue, Royal Blue Yellow &
Packing	-	Each Pair in Printed Inner Box & 12 Pair One Outer Carton

Safetymatters

LUKAS
Gumboot

MANGLA®

MERCURY
Gumboot

Type	-	Moulded PVC Gumboot Made by Fully Computerized Imported Machine
Style	-	Gumboot / Knee Boot
Size	-	5 To 10 (39 To 45) 1 to 4 (Children Size)
Height	-	14" + / -0.5"
Upper	-	Soft Natural PVC
Sole	-	Hard Natural PVC
Inner Lining	-	Nylon Lining
Toe	-	Without Steel Toe Cap
Colour	-	Full Black, Full White, White Grey, Black Grey, Black Brown, Navy Blue, Royal Blue Yellow
Packing	-	Each Pair in Polythin Bag 60 Micron & 20 Pair One Outer Box

Safetymatters

MERCURY
Gumboot

MANGLA®

BIG BOSS
Gumboot

MANGLA®

Type	-	Moulded PVC Gumboot Made by Fully Computerized Imported Machine
Style	-	Half Gumboot
Size	-	6 To 10 (40 To 44)
Hight	-	11 Inch
Upper	-	Soft PVC
Sole	-	Hard PVC
Toe	-	Without Steel Toe Cap
Colour	-	Full Black, Full White, White Grey, Black Grey, Black Brown, Navy Blue, Royal Blue, Yellow
Packing	-	Each Pair in Polythin Bag 60 Micron & 15 Pair One Outer Box

BIG BOSS

Gumboot

MANGLA

Safetymatters

TIGER
Gumboot

Steel Toe Cap

Type	-	Moulded PVC Gumboot
Style	-	Gumboot/Rain Boot
Size	-	6 To 10 (40 To 44)
Height	-	14" + / -0.5"
Upper	-	Soft PVC
Sole	-	PVC
Inner Lining	-	Without Lining/with Cotton Lining
Toe	-	Without/with Steel Toe Cap
Colour	-	Full Black, Full White,
Packing	-	Each Pair in Polythin Bag 60 Micron & 20 Pair One Outer Box

Safetymatters

TARGAN
Gumboot

Type	-	Moulded PVC Gumboot	Inner Lining	-	Without Lining/Cotton Lining
Style	-	Gumboot/Rain Boot	Toe	-	Without Steel Toe Cap
Size	-	4 To 11 (38 To 45)	Colour	-	Full Black, Full White,
Height	-	13" + / -0.5"	Packing	-	Each Pair in Printed Inner Box &
Upper	-	Soft PVC			12 Pair One Outer Carton
Sole	-	PVC			

Safetymatters

TARGAN
Gumboot

Type	-	Moulded PVC Gumboot
Style	-	Half Gumboot
Size	-	6 To 10 (40 To 44)
Height	-	10" + / -0.5"
Upper	-	Soft PVC
Sole	-	Hard PVC
Inner Lining	-	Nylon Lining
Toe	-	Without Steel Toe Cap
Colour	-	Full Black
Packing	-	Each Pair in Polythin Bag 60 Micron & 15 Pair One Outer Box

APOLLO
Gumboot

Type	-	Moulded PVC Gumboot
Style	-	Half Gumboot/Rain Boot
Size	-	4 To 10 (38 To 45)
Height	-	8.5" + / -0.5"
Upper	-	Soft PVC
Sole	-	PVC
Inner Lining	-	Without Lining/Cotton Lining
Toe	-	Without Steel Toe Cap
Colour	-	Full Black, Full White,
Packing	-	Each Pair in Polythin Bag 60 Micron & 25 Pair One Outer Box

BIG BOSS

With Laces Gumboot

With Fur Use in Cold Weather

Safetymatters


POLYVINYL CHLORIDE ANKLE BOOT
DOUBLE DENSITY/DOUBLE COLOUR AND
SINGLE COLOUR WITH & WITHOUT
STEEL TOE CAP MADE BY
FULLY COMPUTERIZED
MACHINE
MANGLA®
100% WATERFROOF
100% WATER PROOF

LAND RIVER

Gumboot

Type	-	Moulded PVC Ankle Boot	Sole	-	Hard Pvc
		Made by Fully Computerized	Insole	-	2 mm Eva With Ludhiana Cloth
		Imported Machine	Inner Lining	-	Cotton Lining
Style	-	Full PVC Ankle Boot	Laces	-	110 Cm Round
Size	-	4 To 11 (38 To 45)	Toe	-	With & Without Steel Toe Cap
Height	-	6" + / -0.5"	Colour	-	Full Black, Black Red & Black Grey
Upper	-	Soft PVC	Packing	-	Each Pair in Printed Inner Box & 20 Pair One Outer Carton

Safetymatters

WE KEEP YOU

SAFE

MARSHAL

Three Button Ankle boot

Steel Toe Cap

Type	-	Three Botton Boot (Ankle Boot) Made by Fully Computerized Imported Machine
Size	-	5 To 11 (39 To 45)
Upper & Sole	-	Soft PVC
Sole	-	Hard PVC
Sole Thickness	-	6 mm Sole+4 mm Cleats
Heel Thickness	-	20 mm+4mm Cleats
Lining	-	Cotton/Nylon
Toe	-	With Steel And Without Steel
Colour	-	Black/Black, Black Red, Black Grey
Approval	-	CE
Packing	-	Each Pair in Printed Inner Box & 20 Pair One Outer Carton

Safetymatters

PANTHER

One Button

MANGLA®

Steel Toe Cap

Type	-	Moulded PVC Ankle Boot Made by Fully Computerized Imported Machine	Insole	-	2 mm EVA With Ludhiana Cloth
			Inner Lining	-	Nylon Lining
			Laces	-	90 cm Round
Style	-	Full PVC Ankle Boot	Toe	-	With & Without Steel Toe Cap
Size	-	6 To 10 (40 To 44)	Colour	-	Full Black, Black Red & Black Grey
Height	-	5" + / -0.5"	Packing	-	Each Pair in Printed Inner Box & 20 Pair One Outer Carton
Upper	-	Soft PVC			
Sole	-	Hard PVC			
Sole Thickness	-	6 mm Sole+4 mm Cleats			
Heel Thickness	-	20 mm+4mm Cleats			

Safetymatters

PANTHER

One Button

MANGLA®

Safetymatters

GOOD PRO

With Lace

Steel Toe Cap

Type	-	Moulded PVC Ankle Boot Made by Fully Computerized Imported Machine
Style	-	Full PVC Ankle Boot
Size	-	6 To 10 (40 To 44)
Height	-	5" + / -0.5"
Upper	-	Soft PVC
Sole	-	Hard PVC
Sole Thickness	-	6 mm Sole+4 mm Cleats
Heel Thickness	-	20 mm+4mm Cleats
Insole	-	2 Mm EVA With Ludhiana Cloth
Inner Lining	-	Nylon Lining
Laces	-	90 cm Round
Toe	-	With & Without Steel Toe Cap
Colour	-	Full Black, Black Red & Black Grey
Packing	-	Each Pair in Printed Inner Box & 20 Pair One Outer Carton

Safetymatters

GOOD PRO

With Lace

MANGLA®

Safetymatters

BELTON
With Lace

Steel Toe Cap

APRICOTE
With Lace

Steel Toe Cap

Type	-	Fully Moulded PVC Shoes Made by Air Max Imported Machine
Style	-	Derby Shoes
Size	-	6 To 10 (40 To 44)
Upper	-	Soft PVC
Sole	-	Hard PVC
Sole Thickness	-	6 mm Sole+4 mm Cleats
Heel Thickness	-	20 mm+4mm Cleats
Insole	-	2 mm EVA With Ludhiana Cloth
Inner Lining	-	Without Lining
Laces	-	90 cm Round
Toe	-	With & Without Steel Toe Cap
Colour	-	Full Black
Packing	-	Each Pair in Printed Inner Box & 20 Pair One Outer Carton

Safetymatters

Moccasin
Shoes

MANGLA®

CE

Type	-	Moulded PVC Moccasin Made by Fully Computerized Imported Machine
Size	-	5 To 11 (39 To 45)
Upper	-	Soft PVC
Sole	-	Hard PVC
Lining	-	Cotton/Lining
Toe	-	Without Toe Cap
Colour	-	Full Black / Black-brown
Approval	-	CE
Packing	-	Each Pair in Printed Inner Box & 24 Pair One Outer Carton

Safetymatters

सशक्त कदम

MANGLA®



JUNGLE BOOT

सशक्त कदम
JUNGLE BOOT

MANGLA®

Bureau of Indian Standards

IS: 15298:2018

PART-4

CE

Type	Jungle Boot	Lining	-	Cambril/Air Mesh (150.gsm)
Size	5 To 11 (39 To 45)	Laces	-	120 cm Round
Upper	Heavy Cotton With Four Layer	Eyelet	-	16 Brass Eyelet
Out Sole	Pu Single Density	Colour	-	Green/Black/Brouwn/Miletery Print
Sole Thickness	6 mm Sole + 4 mm Cleats (Total 10 mm)	Approval		IS:15298:2017 Part-4, CE
Heal Thickness	20 mm Sole + 4 mm Cleats (Total 24 mm)	Customized		
Insole	Soft EVA 4 mm With Polydrill Cloth	Antistatic		As Per Buyer Requirement
Construction	Direct PU Moulded & Toe/Counter Lasted by Imported Machine	Anti-penetration		As Per Buyer Requirement
		Packing		Each Pair in Printed Inner Box & 18 Pair One Outer Carton
Fitting	English Fitting			

Safetymatters

सशक्त कदम

JUNGLE BOOT

PU/Nitrile Rubber Sole

HEAT RESISTANT

HRD UP TO 300°C

IS: 15298:2018

PART-4

Type	Jungle Boot	Lining	-	Cambril/Air Mesh (150.gsm)
Size	5 To 11 (39 To 45)	Laces	-	120 cm Round
Upper	Heavy Cotton With Four Layer	Eyelet	-	16 Brass Eyelet
Out Sole	Inside PU & Out Sole Nitrile Rubber	Colour	-	Green/Black/Brouwn/Miletery Print
Sole Thickness	6 mm Sole + 4 mm Cleats (Total 10 mm)	Approval		IS:15298:2017 Part-4, CE
Heal Thickness	20 mm Sole + 4 mm Cleats (Total 24 mm)	Customized		
Insole	Soft EVA 4 mm With Polydrill Cloth	Antistatic		As Per Buyer Requirement
Construction	Direct PU Moulded & Toe/Counter Lasted by Imported Machine	Anti-penetration		As Per Buyer Requirement
		Packing		Each Pair in Printed Inner Box & 18 Pair One Outer Carton
Fitting	English Fitting			

Safetymatters

सशक्त कदम
JUNGLE BOOT

MANGLA®

Bureau of Indian Standards

IS: 15298:2018

PART-4

CE

Type	Jungle Boot	Lining	-	Cambril/Air Mesh (150.gsm)
Size	5 To 11 (39 To 45)	Laces	-	120 cm Round
Upper	Heavy Cotton With Four Layer	Eyelet	-	16 Brass Eyelet
Out Sole	Pu Double Colour Double Density	Colour	-	Green/Black/Brouwn/Miletery Print
Sole Thickness	6 mm Sole + 4 mm Cleats (Total 10 mm)	Approval		IS:15298:2017 Part-4, CE
Heal Thickness	20 mm Sole + 4 mm Cleats (Total 24 mm)	Customized		
Insole	Soft EVA 4 mm With Polydrill Cloth	Antistatic		As Per Buyer Requirement
Construction	Direct PU Moulded & Toe/Counter Lasted by Imported Machine	Anti-penetration		As Per Buyer Requirement
		Packing		Each Pair in Printed Inner Box & 18 Pair One Outer Carton
Fitting	English Fitting			

Safetymatters



Safetymatters

ABEBA

Ladies Safety Shoes

MANGLA®

IS: 15298:2016
PART-2

CM/L:4822668

Steel Toe Cap

Type	-	Ladies Safety Shoes
Size	-	3 To 8 (39 To 45)
Upper	-	Albama Grain Leather/Butty Grain Leather
Upper Thikness	-	1.6-1.8 mm
Out Sole	-	PU Double Density & Double Colour & Also Single Colour
Sole Thickness	-	6 mm Sole + 4 mm Cleats (total 10 mm)
Heal Thickness	-	20 mm Sole + 4 mm Cleats (total 24 mm)
Insole	-	Soft EVA 4 Mm With Polydrill Cloth
Construction	-	Direct PU Moulded & Toe Cap Lasted By Imported Machine
Lining	-	Air Mesh (150.gsm)
Toe Cap	-	EN 12568 Marked
	-	(Imported) Impact Resistance 200J
Colour	-	Full Black/Black-grey
Antistatic	-	As Per Buyer Requirement
Anti-Penetration	-	As Per Buyer Requirement
Approval	-	IS:15298:2016 Part-2, CE
Packing		Each Pair in Printed Inner Box & 20 Pair One Outer Carton

Safetymatters

EMILY
Ladies Safety Shoes

MANGLA®

Bureau of Indian Standards

IS: 15298:2016
PART-2

CM/L:4822668

CE

Steel Toe Cap

TRACY
Ladies Safety Shoes

Type	-	Ladies Safety Shoes
Size	-	3 To 8 (39 To 45)
Upper	-	Albama Grain Leather/Butty Grain Leather
Upper Thikness	-	1.6-1.8 mm
Out Sole	-	PU Double Density & Double Colour & Also Single Colour
Sole Thickness	-	6 mm Sole + 4 mm Cleats (total 10 mm)
Heal Thickness	-	20 mm Sole + 4 mm Cleats (total 24 mm)
Insole	-	Soft EVA 4 Mm With Polydrill Cloth

Construction	-	Direct PU Moulded & Toe Cap Lasted By Imported Machine
Lining		Air Mesh (150.gsm)
Toe Cap	-	EN 12568 Marked
	-	(Imported) Impact Resistance 200J
Colour		Full Black/Black-grey
Antistatic	-	As Per Buyer Requirement
Anti-Penetration	-	As Per Buyer Requirement
Approval	-	IS:15298:2016 Part-2, CE
Packing	-	Each Pair in Printed Inner Box &
	-	20 Pair One Outer Carton

Safetymatters

Safety matters

INDUSTRIAL LEATHER SAFETY SHOES WITH PU SOLE SINGLE DENSITY/DOUBLE DENSITY & PU/NITRIL RUBBER

WE KEEP YOU

SAFE

WELTEX

Leather Safety Shoes

MANGLA®

Type	-	High Ankle Safety Shoes
Size	-	5 To 11 (39 To 45)
Upper	-	Suede Leather (Genuine Leather)
Upper Thikness	-	1.8-2.0mm
Out Sole	-	Pu Double Density & Double Colour
Sole Thickness	-	6 mm Sole + 4 mm Cleats (Total 10 mm)
Heal Thickness	-	20 mm Sole + 4 mm Cleats (Total 24 mm)
Insole	-	Soft EVA 4 mm With Polydrill Cloth
Construction	-	Direct PU Moulded & Toe Cap Lasted by Imported Machine
Fitting	-	English Fitting
Lask	-	522 (Broad Shape)

Lining	-	Air Mesh (150.gsm)
Laces	-	110 cm Round
Eyelet	-	Brass Eyelet Rust Proof
Toe Cap	-	EN 12568 Marked (Imported) Impact Resistance 200J
Colour		Black/Grey
Approval	-	IS:15298:2016 Part-2, CE
Customized		
Antistatic	-	As Per Buyer Requirement
Anti-penetration	-	As Per Buyer Requirement
Packing		Each Pair in Printed Inner Box & 20 Pair One Outer Carton

Safetymatters

EIGER

Leather Safety Shoes

IS: 15298:2016
PART-2

CM/L:4822668

Steel Toe Cap

Type	-	High Ankle Safety Shoes	Lask	-	522 (Broad Shape)
Size	-	5 To 11 (39 To 45)	Lining	-	Air Mesh (150.gsm)
Upper	-	Butty Grain Leather	Laces	-	110 cm Round
Upper Thikness	-	1.8-2.0mm	Eyelet	-	Brass Eyelet Rust Proof Lacquer
Out Sole	-	PU Double Density & Double Colour		-	Coated (Imported)
Sole Thickness	-	6 mm Sole + 4 mm Cleats (Total 10 mm)	Toe Cap	-	EN 12568 Marked (Imported)
Heal Thickness	-	20 mm Sole + 4 mm Cleats (Total 24 mm)			Impact Resistance 200J
Insole	-	Soft EVA 4 mm With Polydrill Cloth	Colour	-	Black/Grey
Construction	-	Direct PU Moulded & Toe Cap Lasted	Approval	-	IS:15298:2016 Part-2, CE
		By Imported Machine	Customized		
Fitting	-	English Fitting	Antistatic	-	As Per Buyer Requirement
			Anti-penetration	-	As Per Buyer Requirement
			Packing	-	Each Pair in Printed Inner Box & 20 Pair One Outer Carton

Safetymatters

GLACIER
Leather Safety Shoes

MANGLA®

Bureau of Indian Standards

IS: 15298:2016
PART-2

CM/L:4822668

CE

Steel Toe Cap

Type	-	High Ankle Safety Shoes
Size	-	5 To 11 (39 To 45)
Upper	-	Grain Leather (Genuine Leather)
Upper Thikness	-	1.8-2.0mm
Out Sole	-	Pu Double Density & Double Colour
Sole Thickness	-	6 mm Sole + 4 mm Cleats (Total 10 mm)
Heal Thickness	-	20 mm Sole + 4 mm Cleats (Total 24 mm)
Insole	-	Soft EVA 4 mm With Polydrill Cloth
Construction	-	Direct PU Moulded & Toe Cap Lasted by Imported Machine
Fitting	-	English Fitting
Last	-	522 (Broad Shape)

Lining	-	Air Mesh (150.gsm)
Laces	-	110 cm Round
Eyelet	-	D Type Rust Proof Lacquer
Toe Cap	-	Coated (Imported) EN 12568 Marked (Imported) Impact Resistance 200J
Colour	-	Black/Grey
Approval	-	IS:15298:2016 Part-2, CE
Customized		
Antistatic	-	As Per Buyer Requirement
Anti-penetration	-	As Per Buyer Requirement
Packing		Each Pair in Printed Inner Box & 20 Pair One Outer Carton

Safetymatters

Safetymatters

Genta

Leather Safety Shoes

MANGLA®

Bureau of Indian Standards

IS: 15298:2016
PART-2

CM/L:4822668

CE

Steel Toe Cap

Type	-	Derby Safety Shoes	Lining	-	Air Mesh (150.gsm)
Size	-	5 To 11 (39 To 45)	Laces	-	90 cm Flat
Upper	-	Grain Leather (Genuine Leather)	Eyelet	-	Heavy Brass Mattel Eyelet With Lacquer Coated
Upper Thikness	-	1.8-2.0mm			
Sole	-	PU Double Density & Double Colour	Toe Cap	-	EN 12568 Marked (Imported) Impact Resistance 200J
Sole Thickness	-	6 mm Sole + 4 mm Cleats (Total 10 mm)			
Heal Thickness	-	20 mm Sole + 4 mm Cleats (Total 24 mm)	Colour	-	Black/Grey
Insole		Soft EVA 4 mm With Polydrill Cloth	Approval	-	IS:15298:2016 Part-2, CE
Construction	-	Direct PU Moulded & Toe Cap Lasted By Imported Machine	Customized	-	
			Antistatic	-	As Per Buyer Requirement
Fitting	-	English Fitting	Anti-penetration	-	As Per Buyer Requirement
Last	-	522 (Broad Shape)	Packing	-	Each Pair in Printed Inner Box & 20 Pair One Outer Carton

Safetymatters

BLACK CARBON

Leather Safety Shoes

IS: 15298:2016
PART-2

CM/L:4822668

Steel Toe Cap

Type	-	High Ankle Safety Shoes	Laces	-	110 cm Round
Size	-	5 To 11 (39 To 45)	Eyelet	-	D Type Rust Proof Lacquer Coated (Imported)
Upper	-	Buff Barton Grain Leather (Genuine Leather)			
Upper Thikness	-	1.8-2.0mm	Toe Cap	-	EN 12568 Marked (Imported) Impact Resistance 200J
Sole	-	PU Single Density			
Sole Thickness	-	6 mm Sole + 4 mm Cleats (Total 10 mm)	Colour	-	Full Black
Heal Thickness	-	20 mm Sole + 4 mm Cleats (Total 24 mm)	Approval	-	IS:15298:2016 Part-2, CE
Insole		Soft EVA 4 mm With Polydrill Cloth	Customized	-	
Construction	-	Direct PU Moulded & Toe Cap Lasted by Imported Machine	Antistatic	-	As Per Buyer Requirement
			Anti-penetration	-	As Per Buyer Requirement
Fitting	-	English Fitting	Packing	-	Each Pair in Printed Inner Box & 20 Pair One Outer Carton
Last	-	522 (Broad Shape)			
Lining	-	Air Mesh (150.gsm)			

Safetymatters

TARGET
Leather Safety Shoes

MANGLA®

IS: 15298:2016
PART-2

CM/L:4822668

Steel Toe Cap

Type	-	Derby Safety Shoes
Size	-	5 To 11 (39 To 45)
Upper	-	Genuine Leather
Upper Thikness	-	1.6-1.2.0mm
Sole	-	PU Single Density
Sole Thickness	-	6 mm Sole + 4 mm Cleats (Total 10 mm)
Heal Thickness	-	20 mm Sole + 4 mm Cleats (Total 24 mm)
Insole		Soft EVA 4 mm With Polydrill Cloth
Construction	-	Direct PU Moulded & Toe Cap Lasted By Imported Machine
Fitting	-	English Fitting
Last	-	522 (Broad Shape)
Lining	-	Air Mesh (150.gsm)
Laces	-	100 cm Flat
Eyelet	-	D Type Rust Proof Lacquer Coated (Imported)
Toe Cap	-	EN 12568 Marked (Imported) Impact Resistance 200J
Colour	-	Full Black
Approval	-	As Per Buyer Requirement
Customized	-	As Per Buyer Requirement
Antistatic	-	IS:15298:2016 Part-2, CE
Anti-penetration	-	
Packing	-	20 Pairs Carton

Safetymatters

NAPLES

Leather Safety Shoes

IS: 15298:2016
PART-2

CM/L:4822668

Steel Toe Cap

Type	-	Derby Safety Shoes
Size	-	5 To 11 (39 To 45)
Upper	-	Buff Albama Grain Leather
Upper Thikness	-	1.6-1.2.0mm
Sole	-	PU Single Density
Sole Thickness	-	6 mm Sole + 4 mm Cleats (Total 10 mm)
Heal Thickness	-	20 mm Sole + 4 Mm Cleats (Total 24 mm)
Insole		Soft EVA 4 mm With Polydrill Cloth
Construction	-	Direct PU Moulded & Toe Cap Lasted by Imported Machine
Fitting	-	English Fitting
Last	-	443
Lining	-	Air Mesh (150.gsm)
Laces	-	Without Laces
Toe Cap	-	EN 12568 Marked (Imported) Impact Resistance 200J
Colour	-	Full Black
Customized		
Antistatic	-	As Per Buyer Requirement
Anti-penetration	-	As Per Buyer Requirement
Approval	-	IS:15298:2016 Part-2, CE
Packing	-	Each Pair in Printed Inner Box & 20 Pair One Outer Carton

Safetymatters

TACTICAL BOOT

Leather Military Boot

MANGLA®

IS: 15298:2017

Part-4

Type	-	Long Boot	Last	-	443
Size	-	5 To 11 (39 To 45)	Lining	-	Skin Fit (150.gsm) With 4mm Foam
Upper	-	Buff Barton Grain Leather	Laces	-	120cm Flat
Upper Thikness	-	1.6-1.8mm	Toe Cap	-	Without Steel Toe Cap
Sole	-	PU Single Density	Colour	-	Full Black
Construction	-	Direct PU Moulded & Toe Cap Lasted by Imported Machine	Approval	-	IS:15298:2018 Part-4, CE
			Packing	-	18 Pairs Carton
Fitting	-	English Fitting			

Safetymatters

TOP SAFE

Leather Safety Shoes

IS: 15298:2011
PART-3

CM/L:9512429321

Steel Toe Cap

Type	-	High Ankle Safety Shoes	Last	-	443
Size	-	5 To 11 (39 To 45)	Lining	-	Skin Fit (150.gsm) With 4mm Foam
Upper	-	Genuine Leather	Laces	-	80cm Flat
Upper Thikness	-	1.6-1.8mm	Toe Cap	-	Impact Resistance 100J
Sole	-	Pu Single Density	Colour	-	Full Black
Construction	-	Direct PU Moulded & Toe Cap Lasted By Imported Machine	Approval	-	IS:15298:2011 Part-3, CE
Fitting	-	English Fitting	Packing	-	Each Pair in Printed Inner Box & 20 Pair One Outer Carton

Safetymatters

CAMBRIDGE

Leather Safety Shoes

MANGLA®

Steel Toe Cap

IS: 15298:2011
PART-3

CM/L:9512429321

Type	-	Derby Shoe	Last	-	443
Size	-	5 To 11 (39 To 45)	Lining	-	Skin Fit (150.gsm) With 4mm Foam
Upper	-	Genuine Leather	Laces	-	80cm Flat
Upper Thikness	-	1.6-1.8mm	Toe Cap	-	Impact Resistance 100J
Sole	-	PU Single Density	Colour	-	Full Black
Construction	-	Direct PU Moulded & Toe Cap Lasted by Imported Machine	Approval	-	IS:15298:2011 Part-3, CE
Fitting	-	English Fitting	Packing	-	Each Pair in Printed Inner Box & 20 Pair One Outer Carton

Safetymatters

ROCK master®

MANGLA®

CE

Leather Safety Shoes

Type	-	Derby Safety Shoes	Last	-	522
Size	-	5 To 12 (39 To 46)	Lining	-	Skin Fit (150.gsm) With 4mm Foam
Upper	-	Genuine Leather	Laces	-	80cm Flat
Upper Thikness	-	1.6-1.8mm	Toe Cap	-	Impact Resistance 100J
Sole	-	PU Single Density & Double Density	Colour	-	Full Black/Black Grey
Construction	-	Direct Pu Moulded & Toe Cap Lasted	Approval	-	CE
	-	By Imported Machine	Packing	-	Each Pair in Printed Inner Box &
Fitting	-	English Fitting			20 Pair One Outer Carton

Safetymatters

WATER HORSE

Leather Safety Shoes

Steel Toe Cap

Type	-	Ankle Safety Shoes	Last	-	522
Size	-	5 To 12 (39 To 46)	Lining	-	Skin Fit (150.gsm) With 4mm Foam
Upper	-	Genuine Leather	Laces	-	80cm Flat
Upper Thikness	-	1.6-1.8mm	Toe Cap	-	Impact Resistance 100J
Sole	-	Pu Single Density & Double Density	Colour	-	Full Black
Construction	-	Direct Pu Moulded & Toe Cap Lasted	Approval	-	CE
	-	By Imported Machine	Packing	-	Each Pair in Printed Inner Box &
Fitting	-	English Fitting			20 Pair One Outer Carton

Safetymatters

NEOFFU

Leather Safety Shoes

Type	-	Ankle Safety Shoes	Last	-	522
Size	-	5 To 12 (39 To 46)	Lining	-	Skin Fit (150.gsm) With 4mm Foam
Upper	-	Genuine Leather	Laces	-	80cm Flat
Upper Thikness	-	1.6-1.8mm	Toe Cap	-	Impact Resistance 100J
Sole	-	Pu Single Density & Double Density	Colour	-	Full Black
Construction	-	Direct Pu Moulded & Toe Cap Lasted	Approval	-	CE
	-	By Imported Machine	Packing	-	Each Pair in Printed Inner Box &
Fitting	-	English Fitting			20 Pair One Outer Carton

Safetymatters


MANGLA®
NITRILE RUBBER INDUSTRIAL SAFETY SHOES
& WELDING BOOT
HEAT RESISTANT UP TO 300°C

VETO-POWER

Leather Safety Shoes

MANGLA®

HR
HEAT RESISTANT
HRD UP TO 300°C

Bureau of Indian Standards

IS: 15298:2016
PART-2

CM/L:4822668

CE

Steel Toe Cap

Type	-	Derby Nitrile Rubber Safety Shoes	Last	-	522 (Broad Shape)
Size	-	5 To 12 (39 To 46)	Lining	-	Skin Fit (150.gsm)/Leather
Upper	-	Buff Barton Grain Leather	Laces	-	90cm Round
Upper Thikness	-	1.8-2.0mm	Toe Cap	-	En 12568 Marked (Imported)
Out Sole	-	Nitrile Rubber Sole			Impact Resistance 200J
Insole	-	(Heat Resistant Up To 300°c)	Colour	-	Full Black / Black Green
		Soft EVA 4mm	Antistatic	-	As Per Buyer Requirement
Construction	-	Direct Vulcanizing Process &	Ant-penetration	-	As Per Buyer Requirement
		Toe Cap Lasted By Imported Machine	Approval	-	IS:15298:2016 Part-2, CE
Fitting	-	English Fitting	Packing	-	20 Pairs Carton

Safetymatters

BERN

Leather Safety Shoes

MANGLA®

HRD UP TO 300°C

Bureau of Indian Standards

IS: 15298:2016 PART-2

CM/L:4822668

CE

Steel Toe Cap

Type	-	High Ankle Nitrile Rubber Safety Shoes
Size	-	5 To 12 (39 To 46)
Upper	-	Buff Barton Grain Leather
Upper Thickness	-	1.8-2.0mm
Out Sole	-	Nitrile Rubber Sole (Heat Resistant Up To 300°c)
Insole	-	Soft EVA 4mm
Construction	-	Direct Vulcanizing Process & Toe Cap Lasted by Imported Machine
Fitting	-	English Fitting
Last	-	522 (Broad Shape)
Lining	-	Skin Fit (150.gsm)/Leather
Laces	-	100cm Round
Toe Cap	-	En 12568 Marked (Imported) Impact Resistance 200J
Colour	-	Full Black / Black Green
Antistatic	-	As Per Buyer Requirement
Ant-Penetration	-	As Per Buyer Requirement
Approval	-	IS:15298:2016 Part-2, CE
Packing	-	20 Pairs Carton

Safetymatters

NAVY BOOT

Leather Safety Shoes

HRD UP TO 300°C

Type	-	Derby Nitrile Rubber Safety Shoes	Last	-	522 (Broad Shape)
Size	-	5 To 12 (39 To 46)	Lining	-	Skin Fit (150.gsm)/Leather
Upper	-	Grain Leather	Laces	-	90cm Round
Upper Thikness	-	1.8-2.0mm	Colour	-	Full Black / Black Green
Out Sole	-	Nitrile Rubber Sole	Packing	-	20 Pairs Carton
Insole	-	(Heat Resistant Up To 300°c) Soft EVA 4mm			
Construction	-	Direct Vulcanizing Process & Toe Cap Lasted By Imported Machine			
Fitting	-	English Fitting			

Safetymatters

MANGLA®
SAFETY
SHOES

SILVER STONE

Leather Safety Shoes

MANGLA®

Bureau of Indian Standards

IS: 15298:2011
PART-3

CM/L:9512429321

CE

Steel Toe Cap

Type	-	Derby	Last	-	522 (Broad Shape)
Size	-	5 To 10 (39 To 44)	Laces	-	100 Cm Round
Upper	-	Buff Barton Grain Leather	Lining	-	Cambril (150gsm).
Leather Thikness	-	1.6-1.8mm	Toe Cap	-	Steel Toe Cap (100 To 140J)
Sole	-	PVC With A Blend Of 10% Rubber			Also Availbale Composite Toe
Insole	-	Soft EVA 4 mm With Polydrill Cloth	Colour	-	Full Black / Black & Brown Thread
Construction	-	Direct Injection PVC Moulded & Toe Cap Lasted	Approval	-	IS 15298:2011 Part-3, CE
		By Imported Machine	Packing	-	20 Pairs Carton
Fitting	-	English Fitting			

Safetymatters

DE-MILAN

Leather Safety Shoes

MANGLA®

Bureau of Indian Standards

IS: 15298:2011
PART-3

CM/L:9512429321

CE

Steel Toe Cap

Type	-	High Ankle Safety Shoes	Last	-	522 (Broad Shape)
Size	-	5 To 10 (39 To 44)	Laces	-	100 Cm Round
Upper	-	Buff Barton Grain Leather	Lining	-	Cambril (150gsm).
Leather Thikness	-	1.6-1.8mm	Toe Cap	-	Steel Toe Cap (100 To 140J)
Sole	-	PVC With A Blend Of 10% Rubber			Also Availbale Composite Toe
Insole	-	Soft Eva 4 Mm With Polydrill Cloth	Colour	-	Full Black / Black & Brown Thread
Construction	-	Direct Injection PVC Moulded & Toe Cap Lasted	Approval	-	IS 15298:2011 Part-3, CE
		By Imported Machine	Packing	-	20 Pairs Carton
Fitting	-	English Fitting			

Safetymatters

SPORTY
Safety Shoes

MANGLA®

Steel Toe Cap

Type	-	Derby Safety Shoes	Laces	-	90cm Round
Size	-	6 To 10 (40 To 45)	Toe Cap	-	Alloy Steel
Upper	-	Synthetic Cloth	Colour	-	Black & Blue
Sole	-	PVC With A Blend of 10% Rubber	Approval	-	CE
Construction	-	Single Colour Direct Injection PVC Moulded & Toe Cap Lasted by Imported Machine	Packing	-	20 Pairs Carton

Safetymatters

swatch

Synthetic Leather Safety Shoes

MANGLA®

CE

Steel Toe Cap

Type	-	High Ankle Double Density
	-	Double Colour Protective Shoes
Size	-	5 To 12 (39 To 46)
Upper	-	Synthetic Leather With Heavy Matty
Upper Thikness	-	1.8mm
Mid Sole	-	Soft Air Blowing PVC
Out Sole	-	Hard Compact PVC
Insole	-	2mm EVA With Speed Mesh
Construction	-	Direct Injection PVC Moulded & Toe Cap Lasted by Imported Machine & Stroble With Non Woven Cloth
Laces	-	100cm Flat
Lining	-	Ludhiana Mesh With 4mm Foam
Toe	-	Alloy Steel Toe Cap
Upper Colour	-	Full Black/Black & Orange
Sole Colour	-	Black Red/Black Grey
Approval	-	CE
Packing	-	20 Pairs Carton

Safetymatters


MANGLA®
WE KEEP YOU
SAFE

swatch

Synthetic Leather Safety Shoes

MANGLA®

CE

Steel Toe Cap

Type	-	High Ankle Protective Shoes	Laces	-	100cm Flat
Size	-	5 To 12 (39 To 46)	Lining	-	Ludhiana Mesh With 4mm Foam
Upper	-	Synthetic Leather With Heavy Matty	Toe	-	Alloy Steel Toe Cap
Upper Thikness	-	1.8mm	Colour	-	Full Black / Black & Orange
Sole	-	PVC With A Blend Of 10% Rubber	Approval	-	CE
Insole	-	2mm EVA With Speed Mesh	Packing	-	20 Pairs Carton
Construction	-	Direct Injection PVC Moulded & Toe Cap Lasted by Imported Machine & Stroble With Non Woven Cloth			

Safetymatters

BLACK DIAMOND®

Synthetic Leather Safety Shoes

MANGLA®

CE

Steel Toe Cap

Type	-	High Ankle	Laces	-	100cm Flat
Size	-	5 To 10 (39 To 44)	Toe Cap	-	Alloy Steel
Upper	-	Synthetic Leather	Colour	-	Full Black & Black/Orange
Upper Thickness	-	1.8 mm	Approval	-	CE
Sole	-	PVC With A Blend of 10% Rubber	Packing	-	1 Pair Printed Box & 20 Pairs in One Outer Carton
Insole	-	2mm EVA With Speed Mesh			
Construction	-	Direct Injection PVC Moulded & Toe Cap Lasted by Imported Machine & Stoble With Non Woven Cloth			

Safetymatters

BULLET

Synthetic Leather Safety Shoes



Steel Toe Cap

Type	-	High Ankle	Laces	-	100cm Flat
Size	-	6 To 10 (40 To 44)	Toe Cap	-	Alloy Steel
Upper	-	Synthetic Leather	Colour	-	Full Black & Black/Orange
Upper Thickness	-	1.8 Mm	Approval	-	CE
Sole	-	PVC With A Blend of 10% Rubber	Packing	-	1 Pair Printed Box & 20 Pairs in One Outer Carton
Insole	-	2mm EVA With Speed Mesh			
Construction	-	Direct Injection PVC Moulded & Toe Cap Lasted by Imported Machine & Stoble With Non Woven Cloth			

Safetymatters

ROBINSON

Synthetic Leather Safety Shoes

MANGLA®

CE

Steel Toe Cap

Type	-	High Ankle	Laces	-	90cm Flat
Size	-	6 To 10 (39 To 46)	Lining	-	Ludhiana Mesh With 4mm Foam
Upper	-	Synthetic Leather With Heavy Matty	Toe	-	Alloy Steel Toe Cap
Upper Thickness	-	1.8mm	Colour	-	Full Black / Black & Orange
Sole	-	PVC With A Blend of 10% Rubber	Approval	-	CE
Construction	-	Direct Injection PVC Moulded & Toe Cap Lasted by Imported Machine	Packing	-	20 Pairs Carton

Safetymatters

REACH
Synthetic Leather Safety Shoes

MANGLA®

CE

Steel Toe Cap

Steel Toe Cap

Type	-	Derby Safety Shoes	Laces	-	90cm Round
Size	-	5 To 12 (39 To 46)	Toe Cap	-	Alloy Steel
Upper	-	Synthetic Leather	Colour	-	Full Black & Black/Orange
Upper Thickness	-	1.8 mm	Approval	-	CE
Sole	-	PVC With A Blend of 10% Rubber	Packing	-	20 Pairs Carton
Construction	-	Single Colour or Double Colour Double Density Direct Injection PVC Moulded & Toe Cap Lasted by Imported Machine			

Safetymatters

Dr.SAFE

Synthetic Leather Safety Shoes

MANGLA®

CE

Steel Toe Cap

Type	-	Derby Safety Shoes	Laces	-	90cm Round
Size	-	6 To 10 (40 To 44)	Toe Cap	-	Alloy Steel
Upper	-	Synthetic Leather	Colour	-	Full Black & Black/Orange
Upper Thickness	-	1.8 mm (Heavy Matty Cloth)	Approval	-	CE
Sole	-	PVC With A Blend of 10% Rubber	Packing	-	20 Pairs Carton
Construction	-	Direct Injection PVC Moulded & Toe Cap Lasted By Imported Machine			

Safetymatters

KOSMOS

Synthetic Leather Safety Shoes

Steel Toe Cap

Steel Toe Cap

Type	-	Derby Safety Shoes	Laces	-	90cm Round
Size	-	6 To 10 (40 To 44)	Toe Cap	-	Alloy Steel
Upper	-	Synthetic Leather	Colour	-	Full Black & Black/Orange
Upper Thickness	-	1.6 mm (Heavy Matty Cloth)	Packing	-	20 Pairs Carton
Sole	-	PVC			
Construction	-	Direct Injection PVC Moulded			

Safetymatters

Manufactured By:

MANGLA PLASTIC INDUSTRIES